

SPEC ANY TECH. CONFIGURE YOUR FIT.

Goosenecks

A gooseneck pedestal is an important part of any access control system. It delivers the height and reach a user needs to interact with electronic devices and credential oneself through perimeter security. It also provides the important aesthetics at customer entry/exit points. Applicable to both foot and vehicular traffic, the right gooseneck pedestal can solve a myriad of problems for security consultants and system integrators and help perfect system performance. Pedestal PRO delivers the world's largest selection of gooseneck pedestals in the security industry including customization options for any model seen.

PRODUCT FEATURES

- *Specify any access control device(s)*
- *400,000+ proven installations worldwide*
- *Made from heavy duty materials*
- *Engineered to withstand vandals or Mother Nature*
- *Steel, stainless steel, and aluminum options*
- *Standard or Device-Specific models*
- *Stock or Build-To-Order inventory programs*
- *Competitively priced*
- *Easily customizable*
- *NDAA, Buy American, and USMCA applicable*
- *Available direct or through distribution*

Areas of Use

- Door Ingress/Egress
- Gate Ingress/Egress



Standard Goosenecks



Standard GNs	Hgt	Wdth	Rch	Wgt	Material	Tube	Neck Typ	Face Plt	Dvc-Spc Fit	Base Plt	Base Mnt Typ	Finish	Stck/BTO
36-LP-BLK	36"	7"	0"	19 lbs	Crbn Stl	3x3	N/A	N/A	Photo Eyes	6x6	Pad Mount	Blck Wrinkle Pwdrcat	Stock
36-9C	36"	7"	12"	17 lbs	Crbn Stl	2x2	Bent	4x4	Universal	5x5	Pad Mount	Blck Wrinkle Pwdrcat	Stock
36-APD-BLK	36"	7"	12"	17 lbs	Crbn Stl	2x2	Bent	6x6	Universal	5x5	Pad Mount	Blck Wrinkle Pwdrcat	Stock
36-APD-WHI	36"	7"	12"	17 lbs	Crbn Stl	2x2	Bent	6x6	Universal	5x5	Pad Mount	White Gloss Pwdrcat	Stock
36-APD-YEL	36"	7"	12"	17 lbs	Crbn Stl	2x2	Bent	6x6	Universal	5x5	Pad Mount	Yellow Pwdrcat	Stock
42-2LP	42"	7"	2"	17 lbs	Crbn Stl	2x2	Archtctrl	4x4	Universal	5x5	Pad Mount	Blck Wrinkle Pwdrcat	Stock
42-3-12	42"	10"	12"	25 lbs	Crbn Stl	3x3	Archtctrl	6x6	Universal	5x5	Pad Mount	Blck Wrinkle Pwdrcat	Stock
42-3-12-SS	42"	10"	12"	25 lbs	304 Stls	3x3	Archtctrl	6x6	Universal	5x5	Pad Mount	Brushed #4	Stock
42-9C-ALUM-BLK	42"	7"	12"	11 lbs	Alum	2x2	Archtctrl	4x4	Universal	5x5	Pad Mount	Anodized Alum Pwdrcat	Stock
42-9C-BLK	42"	7"	12"	18 lbs	Crbn Stl	2x2	Bent	4x4	Universal	5x5	Pad Mount	Blck Wrinkle Pwdrcat	Stock
42-9C-SS	42"	7"	12"	12 lbs	304 Stls	2" Rnd	Bent	4x4	Universal	5x5	Pad Mount	Brushed #4	Stock
42-9C-WHI	42"	7"	12"	18 lbs	Crbn Stl	2x2	Bent	4x4	Universal	5x5	Pad Mount	White Gloss Pwdrcat	Stock
42-9C-YEL	42"	7"	12"	18 lbs	Crbn Stl	2x2	Bent	4x4	Universal	5x5	Pad Mount	Yellow Pwdrcat	Stock
42-TT	42"	13"	12"	32 lbs	Crbn Stl	2x2	Bent	4x4	Universal	5x5	Pd Mnt, Dual Hd	Blck Wrnkle Pwdrcat	Stock
HD-100	42"	13"	12"	45 lbs	Crbn Stl	4x4	Archtctrl	8x8	Universal	8x8	Pad Mount	Blck Wrnkle Pwdrcat	Stock

Device-Specific Goosenecks




Device-Specific GNs	Hgt	Wdth	Rch	Wgt	Material	Tube	Neck Typ	Face Plt	Dvc-Spc Fit	Base Plt	Base Mnt Typ	Finish	Stck/BTO
33PED-ALP-001-304	44"	10"	12"	40 lbs	304 Stls	3x3	Archtctrl	Special	AlphaCommunications AT700AS	8x8	Pad Mount	Brushed #4	BTO
33PED-ALP-001-CRS	44"	10"	12"	40 lbs	Crbn Stl	3x3	Archtctrl	Special	AlphaCommunications AT700AS	8x8	Pad Mount	Blck Wrnkle Pwdrcat	BTO
42-3-12-N	42"	10"	12"	25 lbs	Crbn Stl	4x4	Archtctrl	6x6	Axis/2N	8x8	Pad Mount	Brushed #4	BTO
33PED-BUT-001-CRS	44"	7"	12"	35 lbs	Crbn Stl	3x3	Archtctrl	Special	ButterflyMX Surface 7"	8x8	Pad Mount	Metllic Slvr Pwdrcat	BTO
33PED-BUT-001-304	44"	10"	12"	35 lbs	304 Stls	3x3	Archtctrl	Special	ButterflyMX Surface 7"	8x8	Pad Mount	Brushed #4	BTO
33PED-BUT-002-CRS	44"	13"	12"	35 lbs	Crbn Stl	3x3	Archtctrl	Special	ButterflyMX Surface 7"	8x8	Pad Mount	Metllic Slvr Pwdrcat	BTO
33PED-BUT-002-304	44"	10"	12"	35 lbs	304 Stls	3x3	Archtctrl	Special	ButterflyMX Surface 7"	8x8	Pad Mount	Brushed #4	BTO
33PED-BUT-003-CRS	45"	10"	0"	35 lbs	Crbn Stl	3x3	Archtctrl	Special	ButterflyMX Surface 11.6"	8x8	Pad Mount	Metllic Slvr Pwdrcat	BTO
33PED-BUT-003-304	45"	10"	12"	35 lbs	304 Stls	3x3	Archtctrl	Special	ButterflyMX Surface 11.6"	8x8	Pad Mount	Brushed #4	BTO
33PED-BUT-004-CRS	45"	10"	12"	35 lbs	Crbn Stl	3x3	Archtctrl	Special	ButterflyMX Surface 11.6"	8x8	Pad Mount	Metllic Slvr Pwdrcat	BTO
33PED-BUT-004-304	45"	7"	0"	35 lbs	304 Stls	3x3	Archtctrl	Special	ButterflyMX Surface 11.6"	N/A	Pad Mount	Brushed #4	BTO

Alpha Communications, Axis Communications/2N, ButterflyMX, Chamberlain/Liftmaster, DoorBird, Doorking, LittleBird, GateHawk, My Video Intercom (MVI KeyCom), My Door View, and ProdataKey are registered trademarks of their respective companies. Pedestal PRO does not represent these brands. Use of them does not imply any affiliation with or endorsement by them. Refer to their websites for more detailed information. Any device shown is not included in a purchase from Pedestal PRO. Product features and dimensions are subject to change at any time. Check pedestalpro.com for current information.



Standard GNs	Hgt	Wdth	Rch	Wgt	Material	Tube	Neck Typ	Face Plt	Dvc-Spc Fit	Base Plt	Base Mnt Typ	Finish	Stck/BTO
48-9C	48"	7"	12"	22 lbs	Crbn Stl	2x2	Bent	4x4	Universal	5x5	Pad Mount	Blck Wrnkle Pwdrcrt	Stock
HD-Black-Tower	48"	10"	0"	35 lbs	Crbn Stl	4x4	N/A	N/A	Universal	8x8	Pad Mount	Blck Wrnkle Pwdrcrt	Stock
MDS-100	50"	10"	12"	35 lbs	Crbn Stl	3x3	Archtctrl	6x6	Universal	8x8	Pad Mount	Blck Wrnkle Pwdrcrt	Stock
58-9C-D	58"	10"	12"	45 lbs	Crbn Stl	2x2, 2x4	Bent	4x4	Universal	8x8	Pd Mnt, Dual Hd	Blck Wrnkle Pwdrcrt	Stock
58-9C-DSP	58"	10"	12"	40 lbs	Crbn Stl	2x2	Bent	4x4	Universal	8x8	Pd Mnt, Dual Hd	Blck Wrnkle Pwdrcrt	Stock
58-9C-S	58"	10"	12"	35 lbs	Crbn Stl	2x2	Bent	4x4	Universal	8x8	Pad Mount	Blck Wrnkle Pwdrcrt	Stock
60-LP-IN-BLK	60"	7"	0"	28 lbs	Crbn Stl	3x3	N/A	N/A	Photo Eyes	N/A	In-Grnd/Wet Cmnt	Blck Wrnkle Pwdrcrt	Stock
64-9C-IN	64"	5"	12"	23 lbs	Crbn Stl	2x2	Bent	4x4	Universal	N/A	In-Grnd/Wet Cmnt	Blck Wrnkle Pwdrcrt	Stock
64-9C-D	64"	10"	12"	45 lbs	Crbn Stl	2x2, 2x4	Bent	4x4	Universal	8x8	Pd Mnt, Dual Hd	Blck Wrnkle Pwdrcrt	Stock
64-9C-DSP	64"	10"	12"	40 lbs	Crbn Stl	2x2	Bent	4x4	Universal	8x8	Pd Mnt, Dual Hd	Blck Wrnkle Pwdrcrt	Stock
64-9C-S	64"	10"	12"	35 lbs	Crbn Stl	2x2	Bent	4x4	Universal	8x8	Pad Mount	Blck Wrnkle Pwdrcrt	Stock



Device-Specific GNs	Hgt	Wdth	Rch	Wgt	Material	Tube	Neck Typ	Face Plt	Dvc-Spc Fit	Base Plt	Base Mnt Typ	Finish	Stck/BTO
HD-DC	42"	10"	12"	45 lbs	Crbn Stl	4x4	Archtctrl	Special	Chamberlain/LiftMaster	8x8	Pad Mount	Blck Wrnkle Pwdrcrt	BTO
HD-DC-IN	72"	13"	12"	55 lbs	Crbn Stl	4x4	Archtctrl	Special	Chamberlain/LiftMaster	N/A	In-Grnd/Wet Cmnt	Blck Wrnkle Pwdrcrt	BTO
22PE1-DOOR-01-CRS	36"	7"	12"	18 lbs	Crbn Stl	2x2	Bent	Special	DoorBird 2101V	5x5	Pad Mount	Blck Pwdrcrat	BTO
22PE1-DOOR-02-CRS	36"	7"	12"	18 lbs	Crbn Stl	2x2	Bent	Special	DoorBird 2101KV	5x5	Pad Mount	Blck Pwdrcrat	BTO
22PE1-DOOR-03-CRS	36"	7"	12"	18 lbs	Crbn Stl	2x2	Archtctrl	Special	DoorBird DKH	5x5	Pad Mount	Metllc Nckl Pwdrcrat	BTO
22PE1-DOOR-04-CRS	36"	7"	12"	18 lbs	Crbn Stl	2x2	Bent	Special	DoorBird D21DKV	5x5	Pad Mount	Blck Pwdrcrat	BTO
22PE1-DOOR-05-CRS	36"	7"	12"	18 lbs	Crbn Stl	2x2	Bent	Special	DoorBird D1101KH	5x5	Pad Mount	Blck Pwdrcrat	BTO
22PE1-DOOR-01-304	45"	7"	12"	22 lbs	304 Stls	2x2	Archtctrl	4x4	DoorBird D1101KH	5x5	Pad Mount	Brushed #4	BTO
33PE1-DOOR-01-304	45"	7"	12"	25 lbs	304 Stls	3x3	Archtctrl	Special	DoorBird 2101V	8x8	Pad Mount	Brushed #4	BTO
33PE1-DOOR-02-304	45"	7"	12"	25 lbs	304 Stls	3x3	Archtctrl	Special	DoorBird 2101KV	8x8	Pad Mount	Brushed #4	BTO
33PE1-DOOR-03-304	45"	7"	12"	25 lbs	304 Stls	3x3	Bent	Special	DoorBird DKH	8x8	Pad Mount	Blck Pwdrcrat	BTO
33PE1-DOOR-04-304	45"	7"	12"	25 lbs	304 Stls	3x3	Archtctrl	Special	DoorBird D21DKV	8x8	Pad Mount	Brushed #4	BTO




Standard GNs	C Hgt	Width	Rch	Wgt	Material	Tube	Neck Typ	Face Plt	Dvc-Spc Fit	Base Plt	Base Mnt Typ	Finish	Stck/BTO
72-9C-IN	72"	5"	12"	25 lbs	Crbn Stl	2x2	Bent	4x4	Universal	N/A	In-Grnd/Wet Cmnt	Blck Wrnkle Pwdrct	Stock
72-3-12	72"	10"	12"	48 lbs	Crbn Stl	3x3	Archtctrl	6x6	Universal	8x8	Pad Mount	Blck Wrnkle Pwdrct	Stock
72-3-12-SS	72"	10"	12"	48 lbs	304 Stls	3x3	Archtctrl	6x6	Universal	8x8	Pad Mount	Brushed #4	Stock
72-9C-D	72"	10"	12"	45 lbs	Crbn Stl	2x2, 2x4	Bent	4x4	Universal	8x8	Pd Mnt, Dual Hd	Blck Wrnkle Pwdrct	Stock
72-9C-DSP	72"	10"	12"	40 lbs	Crbn Stl	2x2	Bent	4x4	Universal	8x8	Pd Mnt, Dual Hd	Brushed #4	Stock
72-9C-DSP-SS	72"	10"	12"	40 lbs	304 Stls	2x2	Archtctrl	4x4	Universal	8x8	Pad Mount	Blck Wrnkle Pwdrct	Stock
72-9C-S	72"	10"	12"	35 lbs	Crbn Stl	2x2	Bent	4x4	Universal	8x8	Pad Mount	Blck Wrnkle Pwdrct	Stock
72-DSP-3-04-04	72"	10"	4"	45 lbs	Crbn Stl	3x3	Archtctrl	6x6	Universal	8x8	Pd Mnt, Dual Hd	Blck Wrnkle Pwdrct	Stock
72-DSP-3-12-12	72"	10"	12"	55 lbs	Crbn Stl	3x3	Archtctrl	6x6	Universal	8x8	Pd Mnt, Dual Hd	Blck Wrnkle Pwdrct	Stock
HD-100-IN	72"	10"	12"	55 lbs	Crbn Stl	4x4	Archtctrl	8x8	Universal	N/A	In-Grnd/Wet Cmnt	Blck Wrnkle Pwdrct	Stock
HD-78-4-TSP	72"	13"	12"	70 lbs	Crbn Stl	4x4, 3x3	Archtctrl	8x8, 6x6	Universal	8x8	Pd Mnt, Trple Hd	Blck Wrnkle Pwdrct	Stock
72-9C-D-IN	72"	10"	12"	55 lbs	Crbn Stl	2x2, 2x4	Bent	4x4	Universal	N/A	In-Grnd/Wet Cmnt	Blck Wrnkle Pwdrct	Stock
84-4-12	84"	13"	12"	70 lbs	Crbn Stl	4x4	Archtctrl	Special	Universal	12x12	Pad Mount	Blck Wrnkle Pwdrct	Stock
84-DSP-4-12-12	84"	13"	12"	80 lbs	Crbn Stl	4x4	Archtctrl	Special	Universal	12x12	Pd Mnt, Dual Hd	Blck Wrnkle Pwdrct	Stock



Device-Specific GNs	Hgt	Width	Rch	Wgt	Material	Tube	Neck Typ	Face Plt	Dvc-Spc Fit	Base Plt	Base Mnt Typ	Finish	Stck/BTO
HD-DK	42"	10"	12"	45 lbs	Crbn Stl	4x4	Archtctrl	Special	DoorKing	8x8	Pad Mount	Blck Wrnkle Pwdrct	BTO
HD-DK-ALUM-BLK	42"	13"	12"	25 lbs	Alum	4x4	Archtctrl	Special	DoorKing	8x8	Pad Mount	Blck Wrnkle Pwdrct	BTO
HD-DK-STRAIGHT	52"	13"	0"	55 lbs	Crbn Stl	4x4	Archtctrl	Special	DoorKing	8x8	Pad Mount	Blck Wrnkle Pwdrct	BTO
HD-DK-IN	72"	13"	12"	55 lbs	Crbn Stl	4x4	Archtctrl	Special	DoorKing	N/A	In-Grnd/Wet Cmnt	Blck Wrnkle Pwdrct	BTO
33PE1-XLG-002-CRS	44"	7"	12"	35 lbs	Crbn Stl	3x3	Archtctrl	N/A	LittleBird-GateHawk Srfce 7,10,12"	8x8	Pad Mount	Blck Wrnkle Pwdrct	BTO
33PE1-XLG-002-304	44"	13"	12"	35 lbs	304 Stls	3x3	Archtctrl	6x6	LittleBird-GateHawk Srfce 7,10,12"	8x8	Pad Mount	Brushed #4	BTO
22PE1-XLG-001-CRS	48"	7"	12"	26 lbs	Crbn Stl	2x2	Archtctrl	8x8	LittleBird-GateHawk Srfce 7,10,12"	5x5	Pad Mount	Blck Wrnkle Pwdrct	BTO
33PED-MVI-001-304	45"	5"	12"	35 lbs	304 Stls	3x3	Archtctrl	Special	MVI KeyCom© BOLT	N/A	Pad Mount	Brushed #4	BTO
33PED-MVI-002-304	45"	10"	12"	35 lbs	Crbn Stl	3x3	Archtctrl	Special	MVI KeyCom© LITE	8x8	Pad Mount	Brushed #4	BTO
33PE1-MYDO-01-CRS	42"	10"	12"	35 lbs	Crbn Stl	3x3	Archtctrl	Special	My Door View VUE Surface Mnt	8x8	Pad Mount	Blck Wrnkle Pwdrct	BTO

Necks

Architectural




Cut and welded, available in any tube shape except round

Bent




Uses a mandrel, smooth curve, only available in specific 2" square or round tube

Base Plates



Face Plates



NEED MORE?



Scan the QR code to access downloadable PDF and DWG drawings available to registered architects and engineers at pedestalpro.com.

Gooseneck Options

TECH INTEGRATION

Mount intercoms, keypads, card readers, touch screens, cameras and more from our vast device library representing over 35 OEM brands and 400+ devices. Our engineers are ready to incorporate your tech onto our goosenecks. We also offer in-house hoods, housings, bolt kits, shim kits, and other accessories to meet all your installation needs.



FREE CUSTOM CAD

CAD engineers are free to use and on-call to create drawings specific to your project requirements. CAD designs are created within 24 hours.



EXPEDITED FABRICATION

12 – 15 days	Standard, no additional charge
10 – 11 days	15% fee
8 – 9 days	25% fee
6 – 7 days	45% fee
4 – 5 days	65% fee
2 – 3 days	100% fee

Business days exclude weekends and holidays, does not include shipping costs or timelines.

Product Categories



EV Charging Stands



Emergency Call Towers



Custom Camera Mounts



Bollards



Cabinets



Goosenecks



Housings



Hoods



Accessories

Why Pedestal PRO

CUSTOMIZATION ■ QUICKEST TURNAROUND ■ HIGHEST QUALITY

With more than 500,000 installations worldwide, including projects for Fortune 100 companies, Pedestal PRO manufactures unique mounting solutions to support consultants, integrators, and installers in the security industry.

Using the most precise device integration methods available, Pedestal PRO custom designs premium pedestals, housings, and mounts to accommodate any physical security device or technology specified by its customers.

Recommended readily-available materials, expedited production timelines, and on-time delivery ensures total satisfaction for every project, every time.

