

SPEC ANY TECH. CONFIGURE YOUR FIT.

Goosenecks

A gooseneck pedestal is an important part of any access control system. It delivers the height and reach a user needs to interact with electronic devices and credential oneself through perimeter security. It also provides the important aesthetics at customer entry/exit points. Applicable to both foot and vehicular traffic, the right gooseneck pedestal can solve a myriad of problems for security consultants and system integrators and help perfect system performance. Pedestal PRO delivers the world's largest selection of gooseneck pedestals in the security industry including customization options for any model seen.

PRODUCT FEATURES

- *Specify any access control device(s)*
- *400,000+ proven installations worldwide*
- *Made from heavy duty materials*
- *Engineered to withstand vandals or Mother Nature*
- *Steel, stainless steel, and aluminum options*
- *Standard or Device-Specific models*
- *Stock or Build-To-Order inventory programs*
- *Competitively priced*
- *Easily customizable*
- *NDAA, Buy American, and USMCA applicable*
- *Available direct or through distribution*

Areas of Use

- Door Ingress/Egress
- Gate Ingress/Egress



Standard Goosenecks




| Standard GNs | Hgt | Wdth | Rch | Wgt | Material | Tube | Neck Typ | Face Plt | Dvc-Spc Fit | Base Plt | Base Mnt Typ | Finish | Stck/BTO |
|----------------|-----|------|-----|--------|----------|--------|-----------|----------|-------------|----------|-----------------|-----------------------|----------|
| 36-LP-BLK | 36" | 7" | 0" | 19 lbs | Crbn Stl | 3x3 | N/A | N/A | Photo Eyes | 6x6 | Pad Mount | Blck Wrinkle Pwdrcat | Stock |
| 36-9C | 36" | 7" | 12" | 17 lbs | Crbn Stl | 2x2 | Bent | 4x4 | Universal | 5x5 | Pad Mount | Blck Wrinkle Pwdrcat | Stock |
| 36-APD-BLK | 36" | 7" | 12" | 17 lbs | Crbn Stl | 2x2 | Bent | 6x6 | Universal | 5x5 | Pad Mount | Blck Wrinkle Pwdrcat | Stock |
| 36-APD-WHI | 36" | 7" | 12" | 17 lbs | Crbn Stl | 2x2 | Bent | 6x6 | Universal | 5x5 | Pad Mount | White Gloss Pwdrcat | Stock |
| 36-APD-YEL | 36" | 7" | 12" | 17 lbs | Crbn Stl | 2x2 | Bent | 6x6 | Universal | 5x5 | Pad Mount | Yellow Pwdrcat | Stock |
| 42-2LP | 42" | 7" | 2" | 17 lbs | Crbn Stl | 2x2 | Archtctrl | 4x4 | Universal | 5x5 | Pad Mount | Blck Wrinkle Pwdrcat | Stock |
| 42-3-12 | 42" | 10" | 12" | 25 lbs | Crbn Stl | 3x3 | Archtctrl | 6x6 | Universal | 5x5 | Pad Mount | Blck Wrinkle Pwdrcat | Stock |
| 42-3-12-SS | 42" | 10" | 12" | 25 lbs | 304 Stls | 3x3 | Archtctrl | 6x6 | Universal | 5x5 | Pad Mount | Brushed #4 | Stock |
| 42-9C-ALUM-BLK | 42" | 7" | 12" | 11 lbs | Alum | 2x2 | Archtctrl | 4x4 | Universal | 5x5 | Pad Mount | Anodized Alum Pwdrcat | Stock |
| 42-9C-BLK | 42" | 7" | 12" | 18 lbs | Crbn Stl | 2x2 | Bent | 4x4 | Universal | 5x5 | Pad Mount | Blck Wrinkle Pwdrcat | Stock |
| 42-9C-SS | 42" | 7" | 12" | 12 lbs | 304 Stls | 2" Rnd | Bent | 4x4 | Universal | 5x5 | Pad Mount | Brushed #4 | Stock |
| 42-9C-WHI | 42" | 7" | 12" | 18 lbs | Crbn Stl | 2x2 | Bent | 4x4 | Universal | 5x5 | Pad Mount | White Gloss Pwdrcat | Stock |
| 42-9C-YEL | 42" | 7" | 12" | 18 lbs | Crbn Stl | 2x2 | Bent | 4x4 | Universal | 5x5 | Pad Mount | Yellow Pwdrcat | Stock |
| 42-TT | 42" | 13" | 12" | 32 lbs | Crbn Stl | 2x2 | Bent | 4x4 | Universal | 5x5 | Pd Mnt, Dual Hd | Blck Wrnkle Pwdrcat | Stock |
| HD-100 | 42" | 13" | 12" | 45 lbs | Crbn Stl | 4x4 | Archtctrl | 8x8 | Universal | 8x8 | Pad Mount | Blck Wrnkle Pwdrcat | Stock |



Device-Specific Goosenecks



| Device-Specific GNs | Hgt | Wdth | Rch | Wgt | Material | Tube | Neck Typ | Face Plt | Dvc-Spc Fit | Base Plt | Base Mnt Typ | Finish | Stck/BTO |
|---------------------|-----|------|-----|--------|----------|------|-----------|----------|-----------------------------|----------|--------------|----------------------|----------|
| 33PED-ALP-001-304 | 44" | 10" | 12" | 40 lbs | 304 Stls | 3x3 | Archtctrl | Special | AlphaCommunications AT700AS | 8x8 | Pad Mount | Brushed #4 | BTO |
| 33PED-ALP-001-CRS | 44" | 10" | 12" | 40 lbs | Crbn Stl | 3x3 | Archtctrl | Special | AlphaCommunications AT700AS | 8x8 | Pad Mount | Blck Wrnkle Pwdrcat | BTO |
| 42-3-12-N | 42" | 10" | 12" | 25 lbs | Crbn Stl | 4x4 | Archtctrl | 6x6 | Axis/2N | 8x8 | Pad Mount | Brushed #4 | BTO |
| 33PED-BUT-001-CRS | 44" | 7" | 12" | 35 lbs | Crbn Stl | 3x3 | Archtctrl | Special | ButterflyMX Surface 7" | 8x8 | Pad Mount | Metllic Slvr Pwdrcat | BTO |
| 33PED-BUT-001-304 | 44" | 10" | 12" | 35 lbs | 304 Stls | 3x3 | Archtctrl | Special | ButterflyMX Surface 7" | 8x8 | Pad Mount | Brushed #4 | BTO |
| 33PED-BUT-002-CRS | 44" | 13" | 12" | 35 lbs | Crbn Stl | 3x3 | Archtctrl | Special | ButterflyMX Surface 7" | 8x8 | Pad Mount | Metllic Slvr Pwdrcat | BTO |
| 33PED-BUT-002-304 | 44" | 10" | 12" | 35 lbs | 304 Stls | 3x3 | Archtctrl | Special | ButterflyMX Surface 7" | 8x8 | Pad Mount | Brushed #4 | BTO |
| 33PED-BUT-003-CRS | 45" | 10" | 0" | 35 lbs | Crbn Stl | 3x3 | Archtctrl | Special | ButterflyMX Surface 11.6" | 8x8 | Pad Mount | Metllic Slvr Pwdrcat | BTO |
| 33PED-BUT-003-304 | 45" | 10" | 12" | 35 lbs | 304 Stls | 3x3 | Archtctrl | Special | ButterflyMX Surface 11.6" | 8x8 | Pad Mount | Brushed #4 | BTO |
| 33PED-BUT-004-CRS | 45" | 10" | 12" | 35 lbs | Crbn Stl | 3x3 | Archtctrl | Special | ButterflyMX Surface 11.6" | 8x8 | Pad Mount | Metllic Slvr Pwdrcat | BTO |
| 33PED-BUT-004-304 | 45" | 7" | 0" | 35 lbs | 304 Stls | 3x3 | Archtctrl | Special | ButterflyMX Surface 11.6" | N/A | Pad Mount | Brushed #4 | BTO |



| Standard GNs | Hgt | Wdth | Rch | Wgt | Material | Tube | Neck Typ | Face Plt | Dvc-Spc Fit | Base Plt | Base Mnt Typ | Finish | Stck/BTO |
|----------------|-----|------|-----|--------|----------|----------|-----------|----------|-------------|----------|------------------|--------------------|----------|
| 48-9C | 48" | 7" | 12" | 22 lbs | Crbn Stl | 2x2 | Bent | 4x4 | Universal | 5x5 | Pad Mount | Blck Wrnkle Pwdrcr | Stock |
| HD-Black-Tower | 48" | 10" | 0" | 35 lbs | Crbn Stl | 4x4 | N/A | N/A | Universal | 8x8 | Pad Mount | Blck Wrnkle Pwdrcr | Stock |
| MDS-100 | 50" | 10" | 12" | 35 lbs | Crbn Stl | 3x3 | Archtctrl | 6x6 | Universal | 8x8 | Pad Mount | Blck Wrnkle Pwdrcr | Stock |
| 58-9C-D | 58" | 10" | 12" | 45 lbs | Crbn Stl | 2x2, 2x4 | Bent | 4x4 | Universal | 8x8 | Pd Mnt, Dual Hd | Blck Wrnkle Pwdrcr | Stock |
| 58-9C-DSP | 58" | 10" | 12" | 40 lbs | Crbn Stl | 2x2 | Bent | 4x4 | Universal | 8x8 | Pd Mnt, Dual Hd | Blck Wrnkle Pwdrcr | Stock |
| 58-9C-S | 58" | 10" | 12" | 35 lbs | Crbn Stl | 2x2 | Bent | 4x4 | Universal | 8x8 | Pad Mount | Blck Wrnkle Pwdrcr | Stock |
| 60-LP-IN-BLK | 60" | 7" | 0" | 28 lbs | Crbn Stl | 3x3 | N/A | N/A | Photo Eyes | N/A | In-Grnd/Wet Cmnt | Blck Wrnkle Pwdrcr | Stock |
| 64-9C-IN | 64" | 5" | 12" | 23 lbs | Crbn Stl | 2x2 | Bent | 4x4 | Universal | N/A | In-Grnd/Wet Cmnt | Blck Wrnkle Pwdrcr | Stock |
| 64-9C-D | 64" | 10" | 12" | 45 lbs | Crbn Stl | 2x2, 2x4 | Bent | 4x4 | Universal | 8x8 | Pd Mnt, Dual Hd | Blck Wrnkle Pwdrcr | Stock |
| 64-9C-DSP | 64" | 10" | 12" | 40 lbs | Crbn Stl | 2x2 | Bent | 4x4 | Universal | 8x8 | Pd Mnt, Dual Hd | Blck Wrnkle Pwdrcr | Stock |
| 64-9C-S | 64" | 10" | 12" | 35 lbs | Crbn Stl | 2x2 | Bent | 4x4 | Universal | 8x8 | Pad Mount | Blck Wrnkle Pwdrcr | Stock |



| Device-Specific GNs | Hgt | Wdth | Rch | Wgt | Material | Tube | Neck Typ | Face Plt | Dvc-Spc Fit | Base Plt | Base Mnt Typ | Finish | Stck/BTO |
|---------------------|-----|------|-----|--------|----------|------|-----------|----------|------------------------|----------|------------------|------------------------|----------|
| HD-DC | 42" | 10" | 12" | 45 lbs | Crbn Stl | 4x4 | Archtctrl | Special | Chamberlain/LiftMaster | 8x8 | Pad Mount | Blck Wrnkle Pwdrcr | BTO |
| HD-DC-IN | 72" | 13" | 12" | 55 lbs | Crbn Stl | 4x4 | Archtctrl | Special | Chamberlain/LiftMaster | N/A | In-Grnd/Wet Cmnt | Blck Wrnkle Pwdrcr | BTO |
| 22PE1-DOOR-01-CRS | 36" | 7" | 12" | 18 lbs | Crbn Stl | 2x2 | Bent | Special | DoorBird 2101V | 5x5 | Pad Mount | Blck Pwdrcrcoat | BTO |
| 22PE1-DOOR-02-CRS | 36" | 7" | 12" | 18 lbs | Crbn Stl | 2x2 | Bent | Special | DoorBird 2101KV | 5x5 | Pad Mount | Blck Pwdrcrcoat | BTO |
| 22PE1-DOOR-03-CRS | 36" | 7" | 12" | 18 lbs | Crbn Stl | 2x2 | Archtctrl | Special | DoorBird DKH | 5x5 | Pad Mount | Metllc Nckl Pwdrcrcoat | BTO |
| 22PE1-DOOR-04-CRS | 36" | 7" | 12" | 18 lbs | Crbn Stl | 2x2 | Bent | Special | DoorBird D21DKV | 5x5 | Pad Mount | Blck Pwdrcrcoat | BTO |
| 22PE1-DOOR-05-CRS | 36" | 7" | 12" | 18 lbs | Crbn Stl | 2x2 | Bent | Special | DoorBird D1101KH | 5x5 | Pad Mount | Blck Pwdrcrcoat | BTO |
| 22PE1-DOOR-01-304 | 45" | 7" | 12" | 22 lbs | 304 Stls | 2x2 | Archtctrl | 4x4 | DoorBird D1101KH | 5x5 | Pad Mount | Brushed #4 | BTO |
| 33PE1-DOOR-01-304 | 45" | 7" | 12" | 25 lbs | 304 Stls | 3x3 | Archtctrl | Special | DoorBird 2101V | 8x8 | Pad Mount | Brushed #4 | BTO |
| 33PE1-DOOR-02-304 | 45" | 7" | 12" | 25 lbs | 304 Stls | 3x3 | Archtctrl | Special | DoorBird 2101KV | 8x8 | Pad Mount | Brushed #4 | BTO |
| 33PE1-DOOR-03-304 | 45" | 7" | 12" | 25 lbs | 304 Stls | 3x3 | Bent | Special | DoorBird DKH | 8x8 | Pad Mount | Blck Pwdrcrcoat | BTO |
| 33PE1-DOOR-04-304 | 45" | 7" | 12" | 25 lbs | 304 Stls | 3x3 | Archtctrl | Special | DoorBird D21DKV | 8x8 | Pad Mount | Brushed #4 | BTO |




| Standard GNs | C Hgt | Width | Rch | Wgt | Material | Tube | Neck Typ | Face Plt | Dvc-Spc Fit | Base Plt | Base Mnt Typ | Finish | Stck/BTO |
|----------------|-------|-------|-----|--------|----------|----------|-----------|----------|-------------|----------|------------------|--------------------|----------|
| 72-9C-IN | 72" | 5" | 12" | 25 lbs | Crbn Stl | 2x2 | Bent | 4x4 | Universal | N/A | In-Grnd/Wet Cmnt | Blck Wrnkle Pwdrct | Stock |
| 72-3-12 | 72" | 10" | 12" | 48 lbs | Crbn Stl | 3x3 | Archtctrl | 6x6 | Universal | 8x8 | Pad Mount | Blck Wrnkle Pwdrct | Stock |
| 72-3-12-SS | 72" | 10" | 12" | 48 lbs | 304 Stls | 3x3 | Archtctrl | 6x6 | Universal | 8x8 | Pad Mount | Brushed #4 | Stock |
| 72-9C-D | 72" | 10" | 12" | 45 lbs | Crbn Stl | 2x2, 2x4 | Bent | 4x4 | Universal | 8x8 | Pd Mnt, Dual Hd | Blck Wrnkle Pwdrct | Stock |
| 72-9C-DSP | 72" | 10" | 12" | 40 lbs | Crbn Stl | 2x2 | Bent | 4x4 | Universal | 8x8 | Pd Mnt, Dual Hd | Brushed #4 | Stock |
| 72-9C-DSP-SS | 72" | 10" | 12" | 40 lbs | 304 Stls | 2x2 | Archtctrl | 4x4 | Universal | 8x8 | Pad Mount | Blck Wrnkle Pwdrct | Stock |
| 72-9C-S | 72" | 10" | 12" | 35 lbs | Crbn Stl | 2x2 | Bent | 4x4 | Universal | 8x8 | Pad Mount | Blck Wrnkle Pwdrct | Stock |
| 72-DSP-3-04-04 | 72" | 10" | 4" | 45 lbs | Crbn Stl | 3x3 | Archtctrl | 6x6 | Universal | 8x8 | Pd Mnt, Dual Hd | Blck Wrnkle Pwdrct | Stock |
| 72-DSP-3-12-12 | 72" | 10" | 12" | 55 lbs | Crbn Stl | 3x3 | Archtctrl | 6x6 | Universal | 8x8 | Pd Mnt, Dual Hd | Blck Wrnkle Pwdrct | Stock |
| HD-100-IN | 72" | 10" | 12" | 55 lbs | Crbn Stl | 4x4 | Archtctrl | 8x8 | Universal | N/A | In-Grnd/Wet Cmnt | Blck Wrnkle Pwdrct | Stock |
| HD-78-4-TSP | 72" | 13" | 12" | 70 lbs | Crbn Stl | 4x4, 3x3 | Archtctrl | 8x8, 6x6 | Universal | 8x8 | Pd Mnt, Trple Hd | Blck Wrnkle Pwdrct | Stock |
| 72-9C-D-IN | 72" | 10" | 12" | 55 lbs | Crbn Stl | 2x2, 2x4 | Bent | 4x4 | Universal | N/A | In-Grnd/Wet Cmnt | Blck Wrnkle Pwdrct | Stock |
| 84-4-12 | 84" | 13" | 12" | 70 lbs | Crbn Stl | 4x4 | Archtctrl | Special | Universal | 12x12 | Pad Mount | Blck Wrnkle Pwdrct | Stock |
| 84-DSP-4-12-12 | 84" | 13" | 12" | 80 lbs | Crbn Stl | 4x4 | Archtctrl | Special | Universal | 12x12 | Pd Mnt, Dual Hd | Blck Wrnkle Pwdrct | Stock |



| Device-Specific GNs | Hgt | Width | Rch | Wgt | Material | Tube | Neck Typ | Face Plt | Dvc-Spc Fit | Base Plt | Base Mnt Typ | Finish | Stck/BTO |
|---------------------|-----|-------|-----|--------|----------|------|-----------|----------|------------------------------------|----------|------------------|--------------------|----------|
| HD-DK | 42" | 10" | 12" | 45 lbs | Crbn Stl | 4x4 | Archtctrl | Special | DoorKing | 8x8 | Pad Mount | Blck Wrnkle Pwdrct | BTO |
| HD-DK-ALUM-BLK | 42" | 13" | 12" | 25 lbs | Alum | 4x4 | Archtctrl | Special | DoorKing | 8x8 | Pad Mount | Blck Wrnkle Pwdrct | BTO |
| HD-DK-STRAIGHT | 52" | 13" | 0" | 55 lbs | Crbn Stl | 4x4 | Archtctrl | Special | DoorKing | 8x8 | Pad Mount | Blck Wrnkle Pwdrct | BTO |
| HD-DK-IN | 72" | 13" | 12" | 55 lbs | Crbn Stl | 4x4 | Archtctrl | Special | DoorKing | N/A | In-Grnd/Wet Cmnt | Blck Wrnkle Pwdrct | BTO |
| 33PE1-XLG-002-CRS | 44" | 7" | 12" | 35 lbs | Crbn Stl | 3x3 | Archtctrl | N/A | LittleBird-GateHawk Srfce 7,10,12" | 8x8 | Pad Mount | Blck Wrnkle Pwdrct | BTO |
| 33PE1-XLG-002-304 | 44" | 13" | 12" | 35 lbs | 304 Stls | 3x3 | Archtctrl | 6x6 | LittleBird-GateHawk Srfce 7,10,12" | 8x8 | Pad Mount | Brushed #4 | BTO |
| 22PE1-XLG-001-CRS | 48" | 7" | 12" | 26 lbs | Crbn Stl | 2x2 | Archtctrl | 8x8 | LittleBird-GateHawk Srfce 7,10,12" | 5x5 | Pad Mount | Blck Wrnkle Pwdrct | BTO |
| 33PED-MVI-001-304 | 45" | 5" | 12" | 35 lbs | 304 Stls | 3x3 | Archtctrl | Special | MVI KeyCom© BOLT | N/A | Pad Mount | Brushed #4 | BTO |
| 33PED-MVI-002-304 | 45" | 10" | 12" | 35 lbs | Crbn Stl | 3x3 | Archtctrl | Special | MVI KeyCom© LITE | 8x8 | Pad Mount | Brushed #4 | BTO |
| 33PE1-MYDO-01-CRS | 42" | 10" | 12" | 35 lbs | Crbn Stl | 3x3 | Archtctrl | Special | My Door View VUE Surface Mnt | 8x8 | Pad Mount | Blck Wrnkle Pwdrct | BTO |


Necks

Architectural




Cut and welded, available in any tube shape except round

Bent




Uses a mandrel, smooth curve, only available in specific 2" square or round tube

Base Plates



Face Plates



NEED MORE?



Scan the QR code to access downloadable PDF and DWG drawings available to registered architects and engineers at pedestalpro.com.

Gooseneck Options


TECH INTEGRATION

Mount intercoms, keypads, card readers, touch screens, cameras and more from our vast device library representing over 35 OEM brands and 400+ devices. Our engineers are ready to incorporate your tech onto our goosenecks. We also offer in-house hoods, housings, bolt kits, shim kits, and other accessories to meet all your installation needs.



FREE CUSTOM CAD

CAD engineers are free to use and on-call to create drawings specific to your project requirements. CAD designs are created within 24 hours.



EXPEDITED FABRICATION

| | |
|--------------|--------------------------------|
| 12 – 15 days | Standard, no additional charge |
| 10 – 11 days | 15% fee |
| 8 – 9 days | 25% fee |
| 6 – 7 days | 45% fee |
| 4 – 5 days | 65% fee |
| 2 – 3 days | 100% fee |

Business days exclude weekends and holidays, does not include shipping costs or timelines.

Product Categories



EV Charging Stands



Emergency Call Towers



Custom Camera Mounts



Bollards



Cabinets



Goosenecks



Housings



Hoods



Accessories

Why Pedestal PRO

CUSTOMIZATION ■ QUICKEST TURNAROUND ■ HIGHEST QUALITY

With more than 500,000 installations worldwide, including projects for Fortune 100 companies, Pedestal PRO manufactures unique mounting solutions to support consultants, integrators, and installers in the security industry.

Using the most precise device integration methods available, Pedestal PRO custom designs premium pedestals, housings, and mounts to accommodate any physical security device or technology specified by its customers.

Recommended readily-available materials, expedited production timelines, and on-time delivery ensures total satisfaction for every project, every time.

