

SPEC ANY TECH.

Configure your fit.

Housings

PRO Housings™ are heavy duty security enclosures that consolidate and protect one or more access control devices onto a single pedestal or wall. Whereas many electrical housings exist, PRO housings are designed specifically to meet the needs of low voltage security installers.

PRODUCT FEATURES

- Specify any access control device(s)
- Polycarbonate, steel or stainless steel construction
- Black painted, black powdercoat, or brushed #4 finish
- Standard 3"D overhang, tapers down to 1.75"D
- Backbox ~3.0"D
- Standard 6"W – 24"W & 6"H – 24"H available
- Removable door panel
- Stainless steel hinge
- EPDM rubber seal
- All weather cam lock
- Knockouts for easy installation
- Factory cutouts (for flush mount) available
- Easily customizable
- Free custom CAD designs in 24 hours
- Made in the USA



Areas of Use

- Door Ingress/Egress
- Gate Ingress/Egress

QUICK FEATURE COMPARISON

| | Lockable Door | Qty of Devices | Mounting Style | Door Panel | Wiring | Customization |
|---------|---------------|----------------|----------------|------------------------------|------------------------|--|
| HOUSING | Yes | 1-4 | Surface/Flush* | Removable w/ Stainless hinge | Consolidate in Backbox | Factory Cutouts Available / Unlimited Dimensions |
| HOODS | No | 1 | Surface only | None | Single Wire Pass | Unlimited dimensions |

*Flush mount requires "cutouts" per device

Square

POLYCARBONATE



MC-PC-10-E-BLK MC-PC-14-E-BLK

STAINLESS STEEL



MC-SS-06-E MC-SS-08-E MC-SS-10-E MC-SS-12-E MC-SS-14-E MC-SS-16-E MC-SS-20-E MC-SS-24-E

CARBON STEEL



MC-CS-06-E MC-CS-08-E MC-CS-10-E MC-CS-12-E MC-CS-14-E MC-CS-16-E MC-CS-20-E MC-CS-24-E

Landscape

POLYCARBONATE



Lando-PC-20x16-E-BLK

STAINLESS STEEL



Lando-SS-10x8-E Lando-SS-12x8-E Lando-SS-14x10-E Lando-SS-14x8-E Lando-SS-16x8-E Lando-SS-20x14-E

CARBON STEEL



Lando-CS-10x8-E Lando-CS-12x8-E Lando-CS-14x10-E Lando-CS-14x8-E Lando-CS-16x8-E Lando-CS-20x14-E

Portrait

STAINLESS STEEL



Portra-SS-8x10-E Portra-SS-8x12-E Portra-SS-8x14-45E Portra-SS-8x14-E Portra-SS-8x16-E

CARBON STEEL



Portra-CS-8x10-E Portra-CS-8x12-E Portra-CS-8x14-45E Portra-CS-8x14-E Portra-CS-8x16-E

Technical Specs



NEED MORE?



Scan the QR code to access downloadable PDF and DWG drawings available to registered architects and engineers at pedestalpro.com.

Key Features



Part Numbers

| Square Housing | Hgt | Wdth | Dpth | Wgt | Material | Finish | Description | Cutouts Included |
|----------------------|-----|------|------|--------|---------------|----------------------|-----------------------------------|-----------------------------|
| MC-PC-10-E-BLK | 10" | 10" | 6" | 11 lbs | Polycarbonate | n/a | 10x10 Black Polycarbonate Housing | None (cutouts can be added) |
| MC-PC-14-E-BLK | 14" | 14" | 6" | 13 lbs | Polycarbonate | n/a | 14x14 Black Polycarbonate Housing | None (cutouts can be added) |
| MC-CS-06-E | 6" | 6" | 6" | 6 lbs | Carbon Stl | Blck Wrinkle Pwercat | 6x6 Steel Housing | None (cutouts can be added) |
| MC-CS-08-E | 8" | 8" | 6" | 8 lbs | Carbon Stl | Blck Wrinkle Pwercat | 8x8 Steel Housing | None (cutouts can be added) |
| MC-CS-10-E | 10" | 10" | 6" | 10 lbs | Carbon Stl | Blck Wrinkle Pwercat | 10x10 Steel Housing | None (cutouts can be added) |
| MC-CS-12-E | 12" | 12" | 6" | 12 lbs | Carbon Stl | Blck Wrinkle Pwercat | 12x12 Steel Housing | None (cutouts can be added) |
| MC-CS-14-E | 14" | 14" | 6" | 14 lbs | Carbon Stl | Blck Wrinkle Pwercat | 14x14 Steel Housing | None (cutouts can be added) |
| MC-CS-16-E | 16" | 16" | 6" | 16 lbs | Carbon Stl | Blck Wrinkle Pwercat | 16x16 Steel Housing | None (cutouts can be added) |
| MC-CS-20-E | 20" | 20" | 6" | 20 lbs | Carbon Stl | Blck Wrinkle Pwercat | 20x20 Steel Housing | None (cutouts can be added) |
| MC-CS-24-E | 24" | 24" | 6" | 24 lbs | Carbon Stl | Blck Wrinkle Pwercat | 24x24 Steel Housing | None (cutouts can be added) |
| MC-SS-06-E | 6" | 6" | 6" | 6 lbs | 304 Stainless | Brushed #4 | 6x6 Steel Housing | None (cutouts can be added) |
| MC-SS-08-E | 8" | 8" | 6" | 8 lbs | 304 Stainless | Brushed #4 | 8x8 Steel Housing | None (cutouts can be added) |
| MC-SS-10-E | 10" | 10" | 6" | 10 lbs | 304 Stainless | Brushed #4 | 10x10 Steel Housing | None (cutouts can be added) |
| MC-SS-12-E | 12" | 12" | 6" | 12 lbs | 304 Stainless | Brushed #4 | 12x12 Steel Housing | None (cutouts can be added) |
| MC-SS-14-E | 14" | 14" | 6" | 14 lbs | 304 Stainless | Brushed #4 | 14x14 Steel Housing | None (cutouts can be added) |
| MC-SS-16-E | 16" | 16" | 6" | 16 lbs | 304 Stainless | Brushed #4 | 16x16 Steel Housing | None (cutouts can be added) |
| MC-SS-20-E | 20" | 20" | 6" | 20 lbs | 304 Stainless | Brushed #4 | 20x20 Steel Housing | None (cutouts can be added) |
| MC-SS-24-E | 24" | 24" | 6" | 24 lbs | 304 Stainless | Brushed #4 | 24x24 Steel Housing | None (cutouts can be added) |
| Landscape Housings | Hgt | Wdth | Dpth | Wgt | Material | Finish | Description | Cutouts Included |
| Lando-PC-20x16-E-BLK | 16" | 20" | 6" | 17 lbs | Polycarbonate | n/a | 20x16 Black Polycarbonate Housing | None (cutouts can be added) |
| Lando-CS-10x8-E | 8" | 10" | 6" | 9 lbs | Carbon Stl | Blck Wrinkle Pwercat | 10x8 Steel Housing | None (cutouts can be added) |
| Lando-CS-12x8-E | 8" | 12" | 6" | 10 lbs | Carbon Stl | Blck Wrinkle Pwercat | 12x8 Steel Housing | None (cutouts can be added) |
| Lando-CS-14x10-E | 10" | 14" | 6" | 14 lbs | Carbon Stl | Blck Wrinkle Pwercat | 14x10 Steel Housing | None (cutouts can be added) |
| Lando-CS-14x8-E | 8" | 14" | 6" | 11 lbs | Carbon Stl | Blck Wrinkle Pwercat | 14x8 Steel Housing | None (cutouts can be added) |
| Lando-CS-16x8-E | 8" | 16" | 6" | 12 lbs | Carbon Stl | Blck Wrinkle Pwercat | 16x8 Steel Housing | None (cutouts can be added) |
| Lando-CS-20x14-E | 14" | 20" | 6" | 18 lbs | Carbon Stl | Blck Wrinkle Pwercat | 20x14 Steel Housing | None (cutouts can be added) |
| Lando-SS-10x8-E | 10" | 10" | 6" | 9 lbs | 304 Stainless | Brushed #4 | 10x8 Stainless Housing | None (cutouts can be added) |
| Lando-SS-12x8-E | 12" | 12" | 6" | 10 lbs | 304 Stainless | Brushed #4 | 12x8 Stainless Housing | None (cutouts can be added) |
| Lando-SS-14x10-E | 14" | 14" | 6" | 14 lbs | 304 Stainless | Brushed #4 | 14x10 Stainless Housing | None (cutouts can be added) |
| Lando-SS-14x8-E | 16" | 16" | 6" | 11 lbs | 304 Stainless | Brushed #4 | 14x8 Stainless Housing | None (cutouts can be added) |
| Lando-SS-16x8-E | 20" | 20" | 6" | 12 lbs | 304 Stainless | Brushed #4 | 16x8 Stainless Housing | None (cutouts can be added) |
| Lando-SS-20x14-E | 14" | 20" | 6" | 18 lbs | 304 Stainless | Brushed #4 | 20x14 Stainless Housing | None (cutouts can be added) |
| Portrait Housings | Hgt | Wdth | Dpth | Wgt | Material | Finish | Description | Cutouts Included |
| Portra-CS-8x10-E | 10" | 8" | 6" | 9 lbs | Carbon Stl | Blck Wrinkle Pwercat | 8x10 Steel Housing | None (cutouts can be added) |
| Portra-CS-8x12-E | 12" | 8" | 6" | 10 lbs | Carbon Stl | Blck Wrinkle Pwercat | 8x12 Steel Housing | None (cutouts can be added) |
| Portra-CS-8x14-45E | 14" | 8" | 6" | 18 lbs | Carbon Stl | Blck Wrinkle Pwercat | 8x14 Steel Corner Housing | None (cutouts can be added) |
| Portra-CS-8x14-E | 14" | 8" | 6" | 11 lbs | Carbon Stl | Blck Wrinkle Pwercat | 8x14 Steel Housing | None (cutouts can be added) |
| Portra-CS-8x16-E | 16" | 8" | 6" | 12 lbs | Carbon Stl | Blck Wrinkle Pwercat | 8x16 Steel Housing | None (cutouts can be added) |
| Portra-SS-8x10-E | 10" | 8" | 6" | 9 lbs | 304 Stainless | Brushed #4 | 8x10 Stainless Housing | None (cutouts can be added) |
| Portra-SS-8x12-E | 12" | 8" | 6" | 10 lbs | 304 Stainless | Brushed #4 | 8x12 Stainless Housing | None (cutouts can be added) |
| Portra-SS-8x14-45E | 14" | 8" | 6" | 18 lbs | 304 Stainless | Brushed #4 | 8x14 Corner Stainless Housing | None (cutouts can be added) |
| Portra-SS-8x14-E | 14" | 8" | 6" | 11 lbs | 304 Stainless | Brushed #4 | 8x14 Stainless Housing | None (cutouts can be added) |
| Portra-SS-8x16-E | 16" | 8" | 6" | 12 lbs | 304 Stainless | Brushed #4 | 8x16 Stainless Housing | None (cutouts can be added) |

Housing Options

TECH INTEGRATION

Integrate intercoms, keypads, card readers, cameras and more from our vast device library representing over 35 OEM brands and 400+ devices. Our engineers are ready to incorporate your tech into our cabinets. We also offer in-house cooling fans, heaters, LED lighting, and weather shrouds solutions to meet all your tech integration needs.



FREE CUSTOM CAD

CAD engineers are free to use and on-call to create drawings specific to your project requirements. CAD designs are created within 24 hours.



EXPEDITED FABRICATION

| | |
|--------------|--------------------------------|
| 12 – 15 days | Standard, no additional charge |
| 10 – 11 days | 15% fee |
| 8 – 9 days | 25% fee |
| 6 – 7 days | 45% fee |
| 4 – 5 days | 65% fee |
| 2 – 3 days | 100% fee |

Business days exclude weekends and holidays, does not include shipping costs or timelines.

Product Categories



EV Charging Stands



Emergency Call Towers



Custom Camera Mounts



Bollards



Cabinets



Goosenecks



Housings



Hoods



Accessories

Why Pedestal PRO

CUSTOMIZATION ■ QUICKEST TURNAROUND ■ HIGHEST QUALITY

With more than 500,000 installations worldwide, including projects for Fortune 100 companies, Pedestal PRO manufactures unique mounting solutions to support consultants, integrators, and installers in the security industry.

Using the most precise device integration methods available, Pedestal PRO custom designs premium pedestals, housings, and mounts to accommodate any physical security device or technology specified by its customers.

Recommended readily-available materials, expedited production timelines, and on-time delivery ensures total satisfaction for every project, every time.

