

# 22 Inches IT Monitor

MW-LC22-B



## Features


- Resolution is up to at 1920 × 1080.
- Refresh rate up to 100 Hz.
- 178° horizontal and vertical viewing angle.
- Screen can reduce blue light, protect eyes.
- Plastic body, ultra-narrow bezel, light weight and elegant.
- Shielding cover design, effectively preventing electromagnetic radiation.
- Stable structure design, highly durable.
- Automatically detect if the signal is connected successful.
- Support multiple language.

## Specifications

Model	MW-LC22-B
Panel	
Backlight	ELED
LCD Technology/Panel Type	IPS
Panel Size	22"
Pixel Pitch (H × V) (mm)	0.24 × 0.24
Resolution	1920 × 1080
Color Support	16.7 M
Color Gamut	72% NTSC
Brightness (cd/m <sup>2</sup> )	250
Contrast Ratio	1300:1

Refresh Rate	100 Hz
Response Time (ms)	8
Viewing Angle (H/V)	Horizontal 178°, Vertical 178°
Surface Treatment	Haze 25%, 3H
Display Size (mm)	478.6 × 260.2
Bezel Width	2.0 mm (top/left/right), 16.8 mm (bottom)
Operation Hour	18/7
<b>Interface</b>	
Video Input	1 × HDMI (1920 × 1080@100 Hz), 1 × VGA (1920 × 1080@60 Hz)
<b>VESA</b>	
VESA (mm)	75 × 75
Wall-mounted Thread	4-M4 Threaded Hole, 10 mm Deep Thread
<b>OSD</b>	
Multi-Language	English, German, French, Spanish, Italian, Dutch, Simplified Chinese, Japanese, Korean, Danish, Portuguese, Turkish, Russian, Arabic, Traditional Chinese
<b>General</b>	
Input Voltage	DC 12 V, 2 A
Typical Power Consumption (W)	≤ 24
Standby Power Consumption (W)	≤ 0.5
Product Dimensions (W × H × D) (mm)	491.66 × 285.06 × 38.00 (Without Pedestal) 491.66 × 377.00 × 180.42 (With Pedestal)
Package Dimensions (W × H × D) (mm)	553 × 365 × 112
Weight (kg)	Net Weight: 2.3 Gross Weight: 3.4
Operating Temperature	0°C to 40°C
Operating Humidity	10% to 85% (No Condensation)
Storage Temperature	-20°C to 60°C
Storage Humidity	5% to 90% (No Condensation)
Material	ABS + SGCC
Lifetime (h)	30000
Certifications	CE/FCC
MTBF	50000 h
Standard	1 × HDMI Cable, 1 × Quick Guide, 1 × Pedestal, 1 × Adapter

## Dimensions



## Ordering Info

Product Model	Description
MW-LC22-B	22 Inches IT Monitor

### Zhejiang Uniview Technologies Co., Ltd.

No. 369, Xietong Road, Xixing Sub-district, Binjiang District, Hangzhou City, 310051, Zhejiang Province, China (Zhejiang) Pilot Free Trade Zone, China

Email: [overseasbusiness@uniview.com](mailto:overseasbusiness@uniview.com); [globalsupport@uniview.com](mailto:globalsupport@uniview.com)

<http://www.uniview.com>

©2024-2025 Zhejiang Uniview Technologies Co., Ltd. All rights reserved.

\*Product specifications and availability are subject to change without notice.

\*Despite our best efforts, technical or typographical errors may exist in this document. Uniview cannot be held responsible for any such errors and reserves the right to change the contents of this document without prior notice.